FIRE HOSE RACK

BRAND : POTTER ROEMER

MANUFACTURER : POTTER ROEMER INC.

COUNTRY : U.S.A.

MODEL : 2510

TYPE : SEMI AUTOMATIC

ACCESSORIES AND MATERIAL

ANGLE VALVE : SIZE 1 ½", ROUGH BRASS

250 PSI WKP., UL/FM APPROVED

RACK NIPPLE : SATIN BRASS

PIN LUG COUPLING : SATIN BRASS

FIRE HOSE : SINGLE JACKET LINED,

MADE FROM POLYESTER

WORKING PRESSURE 300 PSI.

TESTED PRESSURE 500 PSI.

FOG NOZZLE : SATIN BRASS, UL/FM APPROVED

HOSE RACK : RED POLYESTER COATED STEEL



HOSE & ACCESSORIES 1-1/2" HOSE RACK ASSEMBLIES

Model/Series No. 2500 **SERIES**

SPECIFICATIONS

- 1-1/2" Model 2750 Escutcheon
- 1-1/2" Model 2930 Satin Brass Pin Lug Coupling
- 1-1/2" Model 2915 Lined 500 lb. Polyflex Hose (For Interior Standpipe)
- 1-1/2" Model 2962 U/L Satin Brass Fog Nozzle
- 1-1/2" Model 2792 Red Polyester coated Steel U/L &
- ◆FM▶ Hose Rack

Model 1985 Instructional Decal

Nipple Mounted:

1-1/2" Model 4070 Rough Brass 300 lb. U/L & ◀FM▶ Angle Valve

1-1/2" Model 2755 Satin Brass Hose Rack Nipple

MODEL SELECTION

- **2505** 50'
- **2507** 75'
- **2510** 100'

PRODUCT OPTIONS

MOUNTING TYPES:

- WALL BRACKET 1-1/2" Model 4060 Rough □ -E
 - Brass 300 lb. U/L Angle Valve
- □ -G PIPE CLAMP - (For Pipe)
 - 1-1/2" Model 4060 Rough Brass 300 lb. U/L

Angle Valve

FINISHES:

- Rack Red Enamel □ -A
 - Valve Rough Brass
 - Trim Polished Brass
- Rack Red Enamel □ -B
 - Valve Polished Brass
 - Trim- Polished Brass
- Rack Polished Chrome Plated □ -C
 - Valve Rough Chrome Plated
 - Trim- Rough Chrome Plated
- □ -D Rack - Polished Chrome Plated
 - Valve Polished Chrome Plated
 - Trim- Polished Chrome Plated

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer Fire Pro assumes no responsibility for use of void or superceded data. © Copyright Potter Roemer- Fire Pro, Member of Morris Group International ™ Please visit potterroemer.com for most current specifications.





NFPA









PRODUCT OPTIONS (cont.)

EQUIPMENT:

-10 Model 2760 1-1/2" Brass Automatic Drain Valve Model 2765 Adjustable Brass Pressure

MODEL 2510 (Shown)

- ☐ -11
 - Restricting Device
- Model 2770 1-1/2" Brass Restricting Disc **-12**
- **-14** Model 4090 1-1/2" Double Female Adjustable
- Pressure Restricting Angle Valve
- Model 4010 1-1/2" Double Female Pressure **-16**
- Regulating Angle Valve
- **-18** Model 4042 Double Female Pressure Regulating Valve
- Model 2915 Single Jacket Lined 300 lb. Test **-21**
- Polyflex U/L Labeled
- **-23** Model 2926 Single Jacket Lined 500 lb. Test PR
 - Superflex
- **-24** Model 2926 Single Jacket Lined 500lb. Test
- PR Superflex U/L Labeled
- **-**31 Model 2935 Rocker Lug Coupling
- **-**32 Model 2941 Extruded Aluminum Coupling
- **-42** Model 2960 Red Lexan Plastic Fog Nozzle
- Model 2972 Brass Fog Nozzle with Rubber **-43**
 - Bumper
- Model 2980 Red Lexan Plastic "All Fog" Nozzle **-44**
- **-45** Model 2985 Brass "All Fog" Nozzle with Rubber
- **-46** Model 2993 Brass Fixed-Flow Adjustable Nozzle

POTTER ROEMER/FIRE PRO

Headquarters: P.O. Box 3527 City of Industry, CA 91744 U.S.A. Los Angeles Area

800-366-3473 626-855-4890


Also in: New York (800) 526-4592 Chicago (800) 547-3473 Atlanta (800) 762-0542 Miami (866) 961-3473 Dallas (866) 644-3473


www.potterroemer.com

MODEL DIMENSIONS


Model No.	Hose Length	Valve Size	Hose Dia.	Dimensions			
				Α	В	С	D
2505	50'	1-1/2"	1-1/2"	23-1/2"	22"	18"	4"
2507	75'	1-1/2"	1-1/2"	26"	24-1/2"	18"	4"
2510	100'	1-1/2"	1-1/2"	31"	29-1/2"	18"	4"

NOTE: Add 4" to hose rack assembly dimension "C" for Model 2926 PR-Superflex Hose





-E WALL BRACKET



-G PIPE CLAMP

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer-Fire Pro assumes no responsibility for use of void or superceded data. © Copyright Potter Roemer-Fire Pro, Member of Morris Group International ™ Please visit potterroemer.com for most current specifications.



Date: 09/03/15













POTTER ROEMER/FIRE PRO

Headquarters: P.O. Box 3527 City of Industry, CA 91744 U.S.A. Los Angeles Area 800-366-3473 626-855-4890 Also in: New York (800) 526-4592 Chicago (800) 547-3473 Atlanta (800) 762-0542 Miami (866) 961-3473 Dallas (866) 644-3473

www.potterroemer.com