

FIRE HOSE REEL


BRAND	:	EVERSAFE
MODEL	:	EH25-SAM-09BR
ORIGIN	:	MALAYSIA
TYPE	:	AUTOMATIC DOUBLE SWING
COMPLY TO	:	BS EN 671-1
FIRE HOSE SIZE	:	25 MM. X 100 FT.
PIPE CONNECTION	:	25 MM. BSP MALE THREADED
WORKING PRESSURE	:	12 BAR
TEST PRESSURE	:	18 BAR
BURST PRESSURE	:	50 BAR

MATERIAL LIST


DRUM FINISH	:	RED EPOXY POLYESTER POWDER COATING
FIRE HOSE	:	REINFORCED PVC
JET/SPRAY NOZZLE	:	NYLON

Fire Hose Reels


Automatic Swing Type Fire Hose Reels - Hose Inlet



SWING



CLOSE



RECESS

Automatic Swing Type Fire Hose Reels - Hose Inlet

Model	EH19-SAM-09BR*	EH25-SAM-09BR*	EH25-SAL-12BR
Disc Diameter	565 mm	565 mm	590 mm
Inlet Connection	Hose 25 mm x 1 m	Hose 25 mm x 1 m	Hose 25 mm x 1 m
Hose Size (Ø x Length)	19 mm x 30 m	25 mm x 30 m	25 mm x 30 m
Swing Dimension (A x B x C)	535 mm x 565 mm x 160 mm	565 mm x 565 mm x 190 mm	525 mm x 590 mm x 145 mm
Close Dimension (A x B x C)	235 mm x 565 mm x 160 mm	265 mm x 565 mm x 190 mm	210 mm x 590 mm x 145 mm
Recess Dimension (L x W x D)	700 mm x 700 mm x 250 mm	700 mm x 700 mm x 290 mm	730 mm x 730 mm x 225 mm
Maximum Working / Test Pressure	12 bar / 18 bar		
Standard Nozzle Type	Brass or Nylon Jet / Spray Nozzle		
Nozzle Orifice	6 mm		
Minimum Flow Rate @ 4 bar	34 L / min		
Drum Finishing	RAL 3000 Flame Red Epoxy Polyester Powder Coating		
Manufactured & Certified to	EN 671-1 : 2012		

* TUV SUD PSB Approved only

Note: 1. Various types of nozzle and hose length available upon request. Please refer to nozzle section for selection of nozzle

2. Horizontal bar hose reel available upon request

3. Ø 590mm disc available upon request



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS1A 080442 0030 Rev. 00

Initial No. -

Certificate Holder:

Eversafe Extinguisher Sdn Bhd
Lot 878 Jalan Subang 9
Taman Perindustrian Subang, Subang Jaya
47500 Selangor Darul Ehsan
MALAYSIA

Certification Mark:



TÜV SÜD PSB

Product:

Hose Reels

Brand Name:

EVERSAFE, FIRESAFE, RED PANTHER

Model(s):

EH19-FPM-09BR, EH25-FPM-09BR,
EH19-SAM-09BR, EH25-SAM-09BR,
EH19-SHM-09BR, EH19-SDM-09GI,
EH25-SDM-12GI, EH25-SHM-09BR

Product Details:

*Use of Regulated Fire Safety Product in Singapore needs to
comply with SCDF's Requirements*

Refer to following page(s) for Product Details

Standard(s):

EN 671-1:2012

Country of Origin:

Malaysia

Test Report(s):

Refer to following page(s)

Valid until:

2024-12-03

Products listed under Class 1A must have TÜV SÜD PSB PLS mark as shown above affixed/printed on them. Failure to comply with this requirement may result in revocation of this certificate.

Page 1 of 2

Issued on: 2019-02-12

Vice-President (Certification Department)
TÜV SÜD PSB



This Certificate is part of a full Report and should be read in conjunction with it. This Certificate remains the property of TÜV SÜD PSB Pte Ltd and shall be returned upon request. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking TÜV SÜD PSB's website at www.tuv.sud-psb.sg

TÜV SÜD PSB Pte Ltd • 1 Science Park Drive • Singapore 118221

TÜV®



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS1A 080442 0030 Rev. 00

Initial No. -

Test Reports:

7191108073-MEC15/01-DA, 7191108073-MEC15/02-DA, 7191108073-MEC15/03-DA, 7191108073-MEC15/04-DA, 7191108073-MEC15/05-DA, 7191108073-MEC15/06-DA, 7191108073-MEC15/07-DA, 7191108073-MEC15/08-DA, 7191108073-MEC15/09-TSM, 7191108073-MEC15/10-TSM

Product Details:

Table 1 Product description

MODELS	DESCRIPTION
EH19-FPM-09BR	19MM FIXED PIPE TYPE FIRE HOSE REEL
EH25-FPM-09BR	25MM FIXED PIPE TYPE FIRE HOSE REEL
EH19-SAM-09BR	19MM AUTOMATIC SWINGING TYPE FIRE HOSE REEL
EH25-SAM-09BR	25MM AUTOMATIC SWINGING TYPE FIRE HOSE REEL
EH19-SHM-09BR	19MM SWINGING TYPE FIRE HOSE REEL
EH25-SHM-09BR	25MM SWINGING TYPE FIRE HOSE REEL
EH19-SDM-09GI	19MM SWINGING TYPE DIE CAST FIRE HOSE REEL
EH25-SDM-12GI	25MM SWINGING TYPE DIE CAST FIRE HOSE REEL

Page 2 of 2

Issued on: 2019-02-12

Vice-President (Certification Department)
TÜV SÜD PSB



This Certificate is part of a full Report and should be read in conjunction with it. This Certificate remains the property of TÜV SÜD PSB Pte Ltd and shall be returned upon request. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking TÜV SÜD PSB's website at www.tuv.sud-psb.sg