

## **FIRE PROTECTION SYSTEM**

### **FIRE HOSE VALVE**

<b>BRAND NAME</b>	<b>:</b>	<b>DIXON-POWHATAN</b>
<b>MODEL</b>	<b>:</b>	<b>AVF250-F</b>
<b>SIZE</b>	<b>:</b>	<b>2.1/2" DIA.</b>
<b>WORKING PRESSURE</b>	<b>:</b>	<b>300 PSI.</b>
<b>APPROVED</b>	<b>:</b>	<b>UL/FM APPROVED.</b>

### **MATERIAL OF CONSTRUCTION**

<b>BODY</b>	<b>:</b>	<b>FORGED BRASS</b>
<b>CONNECTION</b>	<b>:</b>	<b>DOUBLE FEMALE INLET AND OUTLET NPT THREADED</b>
<b>FINISHED</b>	<b>:</b>	<b>FORGED BRASS</b>
<b>HAND WHEEL</b>	<b>:</b>	<b>ALUMINIUM RED HAND WHEEL</b>
<b>QUICK COUPLING ADAPTER</b>	<b>:</b>	<b>LOCAL MADE CAST BRASS</b>
<b>CAP &amp; CHAIN</b>	<b>:</b>	<b>LOCAL MADE CAST BRASS</b>



